

DECLARATION of PERFORMANCE

No IFC - NT - BIY - 2017

1. Unique identification code of the product-type:

Fibre – cement corrugated sheets 8 wave NT 40 / 150

2. Type, batch or serial number or any other element allowing identification of the construction product:

BIY non - asbestos NT corrugated sheets

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Fibre–cement profiled sheets for roofing, internal wall finishes, external wall and ceiling finishes in according EN 494:2012

4. Name, registered trade name or registered trade mark and contact address of the manufacturer:

JSC "Ivano–Frankivskcement" 77422 Yamnytsya, Ivano–Frankivsk region, Ukraine

tel: + 380 342 58 37 12; fax: + 380 342 58 37 64

www.ifcem.if.ua; e-mail: market@ifcem.if.ua

Responsible person: Igor Lytvynets

5. Name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Oland HandelsGmbH, 1190 Wien Heiligenstädter Strasse 69/17

Tel / fax: + 43 699 10207042

Responsible person: Michael Ratz

6. System or systems of assessment and verification of constancy of performance:

p.1.4: use SYSTEM 3

p.1.5: use SYSTEM 4

7.1 In case of the declaration of performance concerning a construction product covered by a harmonised standard :

EN 494:2012 Fibre-cement profiled sheets and fittings - Product specification and test methods

EN 15057: 2006 Fibre-cement profiled sheefs - Impact resistance test method

EN 13501-1:2007+A1:2010 Fire classification of construction products and building elements

EN 13501-5:2005+A1:2010 Fire classification of construction products and building elements

7.2 Name, address and identification number of the notified body that conducted a technical evaluation:

ÉMI ÉPÍTÉSÜGYI MINOSÉGELLENORZO INNOVÁCIÓS NONPROFIT Kft.

Kösponti Laboratórium Dózsa György út 26., 2000 Szentendre, Hungary

Telefon: +36-26-503-293 Fax: +36-1-386-8794 E-mail: termektanusitas@emi.hu

Identification number of the notified body: 1415

7.3 Certificate of constancy of performance, certificate of conformity of the factory production control:

M – 4032 / 1 / 2006 Első típusvizsgálati jegyzőkönyv

M – 4032 / 1 / 2006 - 2011 Utóellenőrzési típusvizsgálati jegyzőkönyv

M – 4032 / 1 / 2006 - 2014 Vizsgálati jegyzőkönyv

8. Declared performance:

In accordance with the binding over of CC № 305 and normative document EN 494:2012 "Fibre-cement profiled sheets and fittings - Product specification and test methods"

№	Important descriptions	Operating descriptions	Mandated levels and/or classes	Harmonized technical specification
1.	Corrugation height (h), mm	40 ± 2	B	EN 494 : 2012
2.	Breaking Load, no less, N/ m	≥ 2500	1	EN 494 : 2012
3.	Bending moment, no less, Nm/m	≥ 40	Y	EN 494 : 2012
4.	Reaction to fire	inhibition	A1	EN 13501-1:2007
5.	External fire exposure	inhibition	B_{ROOF}(t1)	EN 13501-5:2005
6.	Dangerous substances	NPD		EN 494 : 2012

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued in accordance with the binding over of Regulation (EU) № 305/2011 under the sole responsibility of the manufacturer in point 4.


Signed for and on behalf of the manufacturer by:

Oleksandra Budnik - Head of JSC Dpm Testing Laboratory

(name and function)

v. Yamnytsya 01.08.2017

(place and date of issue)



JSC „Ivano-Frankivskcement”,
77422 Yamnytsya, Ukraine

17

IFC - NT 40/150 – B1Y – 2017

EN 494 : 2012

Fibre–cement corrugated sheets 8 wave NT 40 / 150

Sizes:

Corrugation height (h) : 40 ± 2 mm

Width (W) : 1130^{+10}_{-5} mm

^x Length (L^x) : $L \pm 10$ mm

(L^x = 875, 1000, 1250, 1500, 1600, 1750, 2000, 2500, 3000)

Class : **B1Y**

Impact Resistance satisfy requirements

Reaction to fire **A1**

External fire performance **B_{ROOF}(t1)**

Dangerous substances **NPD**

Fibre cement profiled sheets for roofing and internal and external wall covering